

# CERTIFICATE OF PRODUCT CONFORMITY

Dubai Central Laboratory Department (DCLD) of Dubai Municipality  
hereby attests that the product(s)

## Aluminum Composite Panel (ACP)

(Details as per the attached Scope of Certification)

manufactured by:

**ALUCOPANEL MIDDLE EAST LLC**

**National Industries Park, Dubai, UAE**

have been assessed in accordance with DCLD Document Ref. No. DM-DCLD-RD-DP21-2001 (IC) "General Rules for DM third party product certification system through factory assessment" and the relevant Specific Rules, and were found in conformity with the standard specification:

## DMS 036 : 2021

Accordingly, DCLD hereby authorizes the above manufacturer  
to affix the DCL Product Conformity Mark on the above-mentioned product(s).



for / ENGR. AMIN AHMED AMIN  
Director, Dubai Central Laboratory Department  
Dubai Municipality

Certificate No: CL21020763  
Valid Until: 06/02/2023



Current Issue Date: 07/02/2022  
Original Issue Date: 07/02/2021



The attached Scope of Certification bearing the same Certificate Number forms an integral part of this Certificate.  
This Certificate is an electronic document subject to the Terms and Conditions of the Product Certification System and shall not be reproduced except in full.

**DUBAI CENTRAL LABORATORY DEPARTMENT  
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME**

**SCOPE OF CERTIFICATION  
FOR CERTIFICATE NO. CL21020763**

<b>Certificate Issued To:</b>	<b>ALUCOPANEL MIDDLE EAST LLC</b> National Industries Park, Dubai, UAE
<b>Applicable Standard Specification:</b>	<b>DMS 036: 2021</b> - "Standard Specification for Aluminum Composite Panel"
<b>Applicable Specific Rules:</b>	<b>DM-DCLD-RD-DP21-2214 (IC)</b> - Specific Rules for Certification of Aluminum Composite Panel through Factory Assessment.

S/N	PRODUCT DESCRIPTION	BRAND NAME	PRODUCT DETAILS
1	Aluminum Composite Panel	Alucopanel® FR	Panel Thickness: 4mm Panel Weight : ≥ 7.8kg/m <sup>2</sup> Standard Width: 1000, 1250, 1500 Length : up to 6000 mm Skin Thickness : 0.5 mm Reaction to Fire: Class B, s1, d0 as per EN 13501-1
2	Aluminum Composite Panel	Alucopanel® FR	Panel Thickness: 6mm Panel Weight : ≥ 10.85kg/m <sup>2</sup> Standard Width: 1000, 1250, 1500 Length : up to 6000 mm Skin Thickness : 0.5 mm Reaction to Fire: Class B, s1, d0 as per EN 13501-1
3	Aluminum Composite Panel	Alucopanel® A2	Panel Thickness: 4mm Panel Weight : ≥ 7.8kg/m <sup>2</sup> Standard Width: 1000, 1250, 1500 Length : up to 6000 mm Skin Thickness : 0.5 mm Reaction to Fire: Class A2, s1, d0 as per EN 13501-1
4	Aluminum Composite Panel	Alucopanel® A1	Panel Thickness: 4mm Panel Weight : ≥ 7.8kg/m <sup>2</sup> Standard Width: 1000, 1250, 1500 Length : up to 6000 mm Skin Thickness : 0.5 mm Reaction to Fire: Class A1, as per EN 13501-1



**DUBAI CENTRAL LABORATORY DEPARTMENT  
DCL PRODUCT CONFORMITY CERTIFICATION SCHEME**

**SCOPE OF CERTIFICATION  
FOR CERTIFICATE NO. CL21020763**

- NOTE 1: This document forms part of the Certificate of Product Conformity bearing the same Certificate Number.  
NOTE 2: The above product shall bear the DCL Conformity Mark (applied on each product or on the packaging).  
NOTE 3: Product Performance meet Table 2 & 3 of DMS-036 requirements.  
NOTE 4: The license shall only be for the product "as panels" and shall not cover the "cladding" systems made from these panels.

**Original Issue Date** : 07 February 2021  
**Current Issue Date** : 07 February 2022  
**Valid Until** : 06 February 2023

ARIF HUSAIN AL MARZOOQI  
Products Conformity Assessment Section Manager  
Dubai Central Laboratory Department