

CERTIFICATE OF PRODUCT CONFORMITY

Dubai Central Laboratory Department (DCLD) of Dubai Municipality
hereby attests that the product(s)

Aluminum Composite Panel (ACP)

(Details as per the attached Scope of Certification)

manufactured by:

ALUCOPANEL MIDDLE EAST LLC

National Industries Park, Dubai, UAE

have been assessed in accordance with DCLD Document Ref. No. DM-DCLD-RD-DP21-2001 (IC) "General Rules for DM third party product certification system through factory assessment" and the relevant Specific Rules, and were found in conformity with the standard specification:

TG 03-2024

Accordingly, DCLD hereby authorizes the above manufacturer
to affix the DCL Product Conformity Mark on the above-mentioned product(s).



For/ ENG. MAJED AL SHAMSI

Certification and Quality Control of Products Section's Manager
Dubai Central Laboratory Department-Dubai Municipality

Certificate No: CL21020763
Valid Until: 06/02/2026



Current Issue Date: 07/02/2025
Original Issue Date: 07/02/2021



The attached Scope of Certification bearing the same Certificate Number forms an integral part of this Certificate.
This Certificate is an electronic document subject to the Terms and Conditions of the Product Certification System and shall not be reproduced except in full.

DUBAI CENTRAL LABORATORY DEPARTMENT DCLD-CQPS PRODUCT CONFORMITY CERTIFICATION SCHEME

SCOPE OF CERTIFICATION FOR CERTIFICATE NO. CL21020763

Certificate Issued To:

ALUCOPANEL MIDDLE EAST LLC

National Industries Park, Dubai, UAE

Applicable Standard Specification:

TG 03 – 2024 : Technical Guide for Aluminum Composite Panel (ACP),

Applicable Specific Rules:

DM-DCLD-RD-DP21-2214 (IC) : Certification of Aluminum Composite Panel (ACP) as per TG 03 - 2024.

S/N	PRODUCT DESCRIPTION	BRAND NAME	PRODUCT DETAILS
1.	Aluminum Composite Panel	Alucopanel® FR	Panel Thickness: 4mm Panel Weight: ≥ 8.64 kg/m ² Standard Width: 1000, 1250, 1500 mm Length: up to 6000 mm Skin Thickness: 0.5 mm Reaction to Fire: Class B, s1, d0 as per EN 13501-1
2.	Aluminum Composite Panel	Alucopanel® FR	Panel Thickness: 6mm Panel Weight: ≥ 12 kg/m ² Standard Width: 1000, 1250, 1500 mm Length: up to 6000 mm Skin Thickness: 0.5 mm Reaction to Fire: Class B, s1, d0 as per EN 13501-1
3.	Aluminum Composite Panel	Alucopanel® A2	Panel Thickness: 4mm Panel Weight: $\geq 8 \pm 0.5$ kg/m ² Standard Width: 1000, 1250, 1500 mm Length: up to 6000 mm Skin Thickness: 0.5 mm Reaction to Fire: Class A2, s1, d0 as per EN 13501-1
4.	Aluminum Composite Panel	Alucopanel® A2	Panel Thickness: 6mm Panel Weight: $\geq 11.8 \pm 0.5$ kg/m ² Standard Width: 1000, 1250, 1500 mm Length: up to 6000 mm Skin Thickness: 0.5 mm Reaction to Fire: Class A2, s1, d0 as per EN 13501-1

**DUBAI CENTRAL LABORATORY DEPARTMENT
DCLD-CQPS PRODUCT CONFORMITY CERTIFICATION SCHEME**

**SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL21020763**

5.	Aluminum Composite Panel	Alucopanel® A1	Panel Thickness: 4mm Panel Weight: $\geq 7.8 \pm 0.5$ kg/m ² Standard Width: 1000, 1250, 1500 mm Length: up to 6000 mm Skin Thickness: 0.5 mm Reaction to Fire: Class A1, as per EN 13501-1
----	-----------------------------	----------------	---

NOTE 1: This document forms an integral part of the Certificate of Product Conformity bearing the same certificate number.

NOTE 2: The above product shall bear the DCLD Conformity Mark.

NOTE 3: As applicable, other properties in the product standard specification which were excluded in the specific rules as approved by the certification body authorized personnel are to be verified by the end user of the product (if needed).

Original Issue Date : 07-02-2021

Current Issue Date : 07-02-2025

Valid Until : 06-02-2026



For/ **ENG. MAJED AL SHAMSI**

CERTIFICATION AND QUALITY CONTROL OF PRODUCTS SECTION'S MANAGER