

ALUCOPANEL®

BEYOND PANELS, BEYOND LIMITS.



Standard Colors

Aluminium Composite Panel Solutions

ALUCOPANEL®



Bright Silver

APL M01 (PVDF 2-Layers)




Matte Silver

APL M04 (PVDF 2-Layers)



Smoke Silver

APL M33 (PVDF 2-Layers)




Metallic Black

APL M43 (PVDF 2-Layers)



Champagne Metallic

APL M5576 (PVDF 2-Layers)



Iron Grey

APL M21 (PVDF 2-Layers)



Champagne Gold

APL M02 (PVDF 2-Layers)



Champagne Silver

APL M07 (PVDF 2-Layers)




Metallic Brass

APL M03 (PVDF 2-Layers)



Metallic Gold

APL M09 (PVDF 2-Layers)




Metallic Bronze

APL M08 (PVDF 2-Layers)



Signal Red

APL S18 (HDPE 2-Layers)



Coffee Brown

APL S81 (PVDF 2-Layers)




Enoc White

APL S1265 (PVDF 2-Layers)




Jet Black

APL S4680 (PVDF 2-Layers)



Charcoal Black

APL S30 (PVDF 2-Layers)



Azure Blue

APL S40 (PVDF 2-Layers)



Deep Blue

APL S20 (PVDF 2-Layers)



Pure White

APL S28 (PVDF 2-Layers)




Off White

APL S088 (PVDF 2-Layers)



Ivory White

APL S27 (PVDF 2-Layers)



Royal Beige

APL S26 (PVDF 2-Layers)



Cement Grey

APL S22 (PVDF 2-Layers)



Traffic Grey

APL S3021 (PVDF 2-Layers)



PVDF 3-Layers



PVDF 2-Layers



HDPE 3-Layers






HDPE 2-Layers

Custom Colours on Demand

Important guidelines

1. The color samples displayed are originally coil coated but for reference only. Before ordering, please double check the actual material color.
2. To avoid possible reflection differences, it is imperative to install the panels in the same direction as marked on the protective film.
3. It is recommended to order total requirements for one particular building in a single order. An optical change of color shade may occur due to the particles of lacquers.
4. Tolerance in color between batches: Delta E 2.0 in accordance to AAMA 2605.

Aluminium Composite Panels (FR-B, A2 & A1) Certified for External Facade Cladding

Panel type			
	ALUCOPANEL® FR	ALUCOPANEL® A2	ALUCOPANEL® A1
			
Core	Euroclass B	Euroclass A2	Euroclass A1
Aluminium Skin	0.50 mm	0.50 mm	0.50 mm
Length (mm)	up to 6000, Max. 8000	up to 6000, Max. 8000	up to 6000, Max. 8000
Width (mm)	1500 & 1250 ,1000	1500 ,1250 ,1000, up to 2000	1500 ,1250 ,1000, up to 2000
Thickness (mm)	6 & 4	6 & 4	4
Weight (kg/m2)	11.7 - 8.2	12 - 8.2	8
Core color	Greyish white	Light green	Cream white

ALUCOPANEL.NET

Alucopanel Middle East L.L.C.

Head Office - Manufacturing Operations

National Industries Park, Dubai, U.A.E.

Tel.: +971 4 880 7939

Email : info@alucopanel.net

DANUBE
GROUP