

ALUCOSIGN®


PRECISION PANELS FOR SIGN & DISPLAY.



Standard Colors


Aluminium Composite Panel Solutions

ALUCOSIGN®




Platinum Silver

ASN M01001 (PE 2-Layers)




Classic Silver

ASN M04001 (PE 2-Layers)




Iron Grey

ASN M21001 (PE 2-Layers)




Graphite Silver

ASN M33001 (PE 2-Layers)




Titanium Black

ASN M43001 (PE 2-Layers)




Crown Gold

ASN M77301 (PE 2-Layers)




Glossy White Dual Sided

ASN K41 (PE 2-Layers)




Glossy Beige Dual Sided

ASN K42 (PE 2-Layers)



Royal White

ASN S12651 (PE 2-Layers)



Traffic White

ASN S29001 (PE 2-Layers)



Cement Grey

ASN S22001 (PE 2-Layers)



Vanilla Beige

ASN S26001 (PE 2-Layers)



Traffic Red

ASN S18001 (PE 2-Layers)



Deep Blue

ASN S20001 (PE 2-Layers)



Royal Black

ASN S30001 (PE 2-Layers)



Jet Black

ASN S46801 (PE 2-Layers)




Traffic Green

ASN S27351 (PE 2-Layers)



Traffic Yellow

ASN S27341 (PE 2-Layers)




Mirror Silver

ASN K29 (PE 2-Layers)




Mirror Gold

ASN K28 (PET FILM)




Classic Walnut

ASN W20 (PE 2-Layers)




African Teak

ASN W21 (PE 2-Layers)




Turkish Coffee

ASN S81001 (PE 2-Layers)



Acacia Tortilis

ASN W22 (PE 2-Layers)



PVDF 3-Layers



PVDF 2-Layers



HDPE 3-Layers



HDPE 2-Layers




PE 2-Layers

Custom Colours on Demand

Important guidelines

1. The color samples displayed are originally coil coated but for reference only. Before ordering, please double check the actual material color.
2. To avoid possible reflection differences, it is imperative to install the panels in the same direction as marked on the protective film.
3. It is recommended to order total requirements for one particular building in a single order. An optical change of color shade may occur due to the particles of lacquers.
4. Tolerance in color between batches: Delta E 2.0 in accordance to AAMA 2605.

For Signage & Display Applications Only. Not for Facade Use – Follow Local Regulations.

Panel type			
ALUCOSIGN®			
			
Core	LDPE	LDPE	LDPE
Aluminium Skin	0.20 mm	0.30 mm	0.030 mm
Length (mm)	up to 6000	up to 6000	up to 2800
Width (mm)	1220	1220	1300
Thickness (mm)	3	4	2 & 2.6
Weight (kg/m2)	3.85	5.42	2mm - 2.4 / 2.6mm - 3.1
Core color	Black	Black	Black

ALUCOSIGN.COM

Alucopanel Middle East L.L.C.

Head Office – Manufacturing Operations

National Industries Park, Dubai, U.A.E.

Tel.: +971 4 880 7939

Email : info@alucopanel.net

DANUBE
GROUP