

ALUCOPANEL®

BEYOND PANELS, BEYOND LIMITS.



Natural Series


Aluminium Composite Panel Solutions



ALUCOPANEL


Burma Teak

APL W23 (HDPE 4-Layers)




Oak

APL W60 (HDPE 4-Layers)



Walnut

APL W45 (HDPE 4-Layers)



Antique Pine

APL W14 (HDPE 4-Layers)



Almond

APL W12 (HDPE 4-Layers)





STONE

ALUCOPANEL


Precious Agate

APL N3379 (HDPE 4-Layers)




Lemurian Blue

APL N24 (HDPE 4-Layers)



Natural Limestone

APL N 90 (HDPE 4-Layers)



Travertine Veincut - Beige

APL N70 (HDPE 4-Layers)



Travertine Veincut – Silver

APL N71 (HDPE 4-Layers)



Stone Grey

APL N56 (HDPE 4-Layers)



Stone Beige

APL N57 (HDPE 4-Layers)



Riyadh Stone

APL N58 (HDPE 4-Layers)



Calacatta Porcelain Marble

APL N3382 (PVDF + FEVE 4-Layers)



Emerald Quartz

APL N26 (HDPE 4-Layers)



Armani Grey Marble

APL N15 (PVDF + FEVE 4-Layers)



Marron Antico

APL N25 (HDPE 4-Layers)




Sapphire Stone

APL N05 (HDPE 4-Layers)



Amalfi Grey

APL N27 (PVDF + FEVE 4-Layers)



Roman Brick

APL N10 (HDPE 4-Layers)





METAL

ALUCOPANEL

Corten Steel

APL N3391 (HDPE 4-Layers)






PRISMATIC &
SPARKLING

ALUCOPANEL

Prismatic Tradescantia

APL P0878 (HDPE 3-Layers)



Prismatic Citrine

APL P0853 (HDPE 3-Layers)




Prismatic Sakura

APL P3904 (HDPE 3-Layers)




Prismatic Bluish White

APL P4259 (PVDF 3-Layers)



Prismatic White & Gold

APL P4224 (PVDF 3-Layers)



Sparkling Black

APL M749 (HDPE 3-Layers)




Sparkling Pearl White

APL M70 (HDPE 3-Layers)



Sparkling Lexus White


APL M264 (HDPE 3-Layers)



ALUCOPANEL


Textured Wrinkle White

APL G2960 (HDPE 2-Layers)



Terracotta Tile

APL G2204 (HDPE 2-Layers)



Royal Grey

APL G2083 (HDPE 2-Layers)



Concrete Grey




APL G2065 (HDPE 2-Layers)





Important guidelines

1. The color samples displayed are originally coil coated but for reference only. Before ordering, please double check the actual material color.
2. To avoid possible reflection differences, it is imperative to install the panels in the same direction as marked on the protective film.
3. It is recommended to order total requirements for one particular building in a single order. An optical change of color shade may occur due to the particles of lacquers.
4. Tolerance in color between batches: Delta E 2,0 in accordance to AAMA 2605.

Aluminium Composite Panels (FR-B, A2 Et A1) Certified for External Facade Cladding

Panel type			
	ALUCOPANEL® FR	ALUCOPANEL® A2	ALUCOPANEL® A1
			
Core	Euroclass B	Euroclass A2	Euroclass A1
Aluminium Skin	0.50 mm	0.50 mm	0.50 mm
Length (mm)	up to 6000, Max. 8000	up to 6000, Max. 8000	up to 6000, Max. 8000
Width (mm)	1500 Et 1250 ,1000	1500 ,1250 ,1000, up to 2000	1500 ,1250 ,1000, up to 2000
Thickness (mm)	6 Et 4	6 Et 4	4
Weight (kg/m2)	11.7 - 8.2	12 - 8.2	8
Core color	Greyish white	Light green	Cream white

For Signage Et Display Applications Only. Not for Facade Use – Follow Local Regulations.

Panel type		
	ALUCOSIGN®	
		
Core	LDPE	LDPE
Aluminium Skin	0.20 mm	0.30 mm
Length (mm)	up to 6000	up to 6000
Width (mm)	1220	1220
Thickness (mm)	3	4
Weight (kg/m2)	3.85	5.42
Core color	Black	Black

ALUCOPANEL.NET

Alucopanel Middle East L.L.C.

Head Office - Manufacturing Operations

National Industries Park, Dubai, U.A.E.

Tel.: +971 4 880 7939

Email : info@alucopanel.net

DANUBE
GROUP